

Worksheet

Tuesday, 6 May 2025

Patient	
Account	1730297312
Order	77313914522
Master	4912098254 (4 of 12)
Expiry	3 June 2025

Material	Booking	Prescribed	Weight	Combined	Weighed	Checked
Tretinoin	8291039472	0.015% (w/w)	0.003g	0.015g	—	—
Azelaic Acid	7928793510	3% (w/w)	0.6g	3.0g	—	—
Niacinamide	5874642713	2% (w/w)	0.4g	2.0g	—	—
Butylated Hydroxytoluene	7948984912	0.1% (w/w)	0.02g	0.1g	—	—
Cleoderm	6382903801	94.885% (w/w)	18.977g	94.885g	—	—

Instructions
1. Clear the workstation of all previous materials
2. Place a sheet of parchment paper on the balance pan, tare the scale, and weigh each required material
3. Check each weight and have it signed off
4. Print the weigh slip and ensure it is checked and signed
5. Transfer all weighed materials into an unguator jar, starting with the base cream
6. Mix the materials using the pre-grinding setting, followed by suspension > 2% twice
7. Dispense the cream into its bottle(s) using the unguator applicator, placed in the basket(s)
8. Disinfect the workstation

Compounded By

16/01/2025

Date

Release	Checked
The cream displays a consistent tone and texture, free from any visible particles	
Both the bottle and box have been polished, and the pump operates smoothly, with no residue	
Dispensing labels are affixed to both the bottle and box, and a shipping label is affixed to the envelope	
An information leaflet has been inserted alongside the bottle within the box	

Released By

16/01/2025

Date